

DU072

K:\DupageAp\0525702\Draw\Sheets\ FILE: Ph1-culvert.dwg LAYOUT: Layout1 UPDATE BY: ilinke SURVEY BOOK # DATE: Tue 3/7/06 11:37am XREF DWG: tbcint.dwg tb.dwg

REVISIONS NUMBER BY DATE

LOADING HS 20

PRECAST UNITS f'y = 5,000 psiALLOW 50 psf FUTURE WEARING SURFACE fy = 65,000 psi(WELDED WIRE FABRIC)

DESIGN SPECIFICATIONS
2002 AASHTO "STANDARD SPECIFICATIONS

FOR HIGHWAY BRIDGES" AND INTERIMS

LOCATION MAP

THROUGH 2006.

DESIGN STRESSES

-12" MIN. GRANULAR BEDDING (IDOT CA-6) CONTRACTOR SHALL PLACE ADDITIONAL GRANULAR BEDDING AT UNSUITABLE MATERIAL AREAS AT NO ADDITIONAL COST TO CONTRACT f'y = 3,500 psify = 60,000 psi (REINFORCEMENT)

ALLOWABLE SOIL PRESSURE = 1500 PSF

SEISMIC DATA

SEISMIC PERFORMANCE CATEGORY (SPC) = A BEDROCK ACCELERATION COEFFICIENT (Á) = 0.04 SITE COEFFICIENT (S) = 1.5

BILL OF MATERIAL

ALL PRECAST BOX CULVERTS SHALL BE DESIGNED IN ACCORDANCE WITH AASHTO M273, HS-20 LOADING.

UNIT QUANTITY

120

FOOT

EACH

- PRIOR TO BACKFILLING, FILL SOLID THE 3" JOINT BETWEEN BARRELS WITH CONCRETE (610).
- 3. GROUT ALL LIFTING HOLES BEFORE BACKFILLING, ALLOW GROUT TO ACHIEVE MINIMUM STRENGTH BEFORE BACKFILLING.
- 4. DURING BACKFILL PLACEMENT, DO NOT PERMIT A DIFFERENCE IN FILL ELEVATION ON THE WALLS OF THE CULVERT IN EXCESS OF 2 FEET. DURING COMPACTION, DO NOT ALLOW WHEELS OF ROLLERS TO COME CLOSER THAN ONE FOOT TO THE FACE OF THE STRUCTURE.
- 5. JOINT MATERIAL BETWEEN PRECAST SECTIONS SHALL CONFORM TO SECTION 1056 OR SECTION 1055 OF IDOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION, ADOPTED JANUARY 1, 2002.
- 6. ANY ACCUMULATED DEBRIS WITHIN THE PROJECT AS A RESULT OF THE IMPROVEMENT SHALL BE REMOVED AND DISPOSED OF SATISFACTORILY BY THE CONTRACTOR AS DIRECTED BY THE ENGINEER, THE COST OF THIS WORK WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE CONSIDERED INCIDENTAL TO THE CONTRACT.

M

DUPAGE TERMINAL OVERFLOW

DITCH CROSSING

DUPAGE AIRPORT AUTHORITY STATION 739+50.00

STR. NO. 101 LOADING HS 20

NAME PLATE

IDOT STANDARD 515001-02

-3" JOINT (SEE NOTE 2)

10'-0"

BUILT 2006

- 7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE MAINTENANCE OF DRAINAGE AT ALL TIMES DURING THE CONSTRUCTION OF THE CULVERT. THE METHODS USED BY THE CONTRACTOR SHALL BE SUBJECT TO THE APPROVAL OF THE ENGINEER. THE COST FOR THIS REQUIREMENT WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE CONSIDERED INCIDENTAL TO THE CONTRACT.
- 8. THE JOINTS SHALL BE EXTERNALLY SEALED ON ALL FOUR SIDES USING EITHER 13 INCH WIDE EXTERNAL SEALING BANDS CONFORMING TO SECTION 1057.01 OR 24" WIDE NONWOVEN GEOTECHNICAL FABRIC MEETING THE REQUIREMENTS OF SECTION 1080.01, IDOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION, EXCEPT THE MINIMUM WEIGHT SHALL BE 4 OZ/SY. THE SEAL OR FABRIC SHALL, BE CENTERED OVER THE JOINT AND SECURED TO REMAIN IN PLACE DURING THE BACKFILLING OPERATION.
- 9. REINFORCEMENT BARS SHALL CONFORM TO THE REQUIREMENTS OF THE AASHTO M31, M42 OR M53 GRADE 60.
- 10. PRECAST END SECTIONS WILL NOT BE ALLOWED.
- 11. BEDDING FOR THE BOX CULVERT AND END SECTIONS SHALL BE A MINIMUM OF 12" THICK AND SHALL CONFORM TO IDOT GRADATION CA-6.
- 12. THE CONTRACT UNIT PER LINEAR FOOT FOR THE PRECAST CONCRETE BOX CULVERT SHALL. BE FULL PAYMENT FOR FURNISHING AND INSTALLING ALL MATERIALS INCLUDING BUT NOT LIMITED TO CONCRETE FILLER, GROUT, JOINT MATERIAL, GEOTECHNICAL FABRIC AND FOR ALL EXCAVATION EARTH BACKFILL, GRANULAR CRADLE, SELECT GRANULAR BACKFILL PLACEMENT, COMPACTION AND SURFACE GRADING AND FOR ALL LABOR, EQUIPMENT AND TOOLS NECESSARY TO COMPLETE THIS ITEM OF THE SIZE AND TYPE TO THE PLANS AND THE SATISFACTION OF THE ENGINEER.

	O 1 2 THIS BAR IS EQUAL TO 2" AT FULL SCALE (34X22).	
	DUPAGE AIRPORT WEST CHICAGO, ILLINOIS ROADWAY IMPROVEMENTS FOR SOUTH FLIGHT CENTER DEVELOPMENT - PHASE 1	BOX CULVERT PLAN AND ELEVATION
	CMT CANT CANTA CAMPATA TLY, NC. CONSULTING ENGREERS License No. 184-000613	DuPage Airport
-	DESIGN BY:	ATI/JRL
I	DRAWN BY:	ATI

CHECKED BY

DATE:

JOB No:

APPROVED BY:

ATI/JRL

DLP

03/03/06

05257-02

ILLINOIS PROJECT: DPA-3325 SHEET 14 OF 21 SHEETS